

100% Money Back
Guarantee

Vendor:Oracle

Exam Code:1Z0-932

Exam Name:Oracle Cloud Infrastructure 2018
Architect Associate

Version:Demo

QUESTION 1

You have created a public subnet in a VCN, and your public subnet has a Route Table, a Security List, and an Internet Gateway. However, none of the compute instances can connect to the Internet.

Which two are possible reasons for the connectivity issue? (Choose two.)

- A. There is no Dynamic Routing Gateway (DRG) associated with the VCN.
- B. The Route Table has no default route for routing traffic to the Internet Gateway.
- C. There is no stateful ingress rule in the Security List associated with the public subnet.
- D. There is no stateful egress rule in the Security List associated with the public subnet.

Correct Answer: AC

QUESTION 2

Which statement is true about cloning a volume?

- A. You need to detach a volume before cloning from it.
- B. A cloned volume is the same as a snapshot that has a dependency on the source volume.
- C. You cannot change the block volume size when cloning a volume.
- D. You can create a clone for a volume across regions.

Correct Answer: B

Reference: <https://docs.cloud.oracle.com/iaas/Content/Block/Tasks/cloningavolume.htm>

QUESTION 3

You are a network architect and have designed the network infrastructure of a three-tier application on Oracle Cloud Infrastructure (OCI). In the architecture, back-end DB servers are in a private subnet. One of your DB administrators requests to have access to OCI object storage service.

How can you meet this requirement?

- A. Create a service gateway, add a new route rule to the private subnet route table that uses storage as your service gateway target type
- B. Create a dynamic routing gateway (DRG) and attach it your virtual cloud network (VCN). Add a default route rule to the private subnets route table and set the target as DRG
- C. Attach a public IP address to the instances in the private subnet, and then add a new route rule to the private subnet route table to route default traffic to the internet gateway

D. Add a new route rule to the private subnet route table to route default traffic to the internet gateway

Correct Answer: A

Reference: <https://blogs.oracle.com/cloud-infrastructure/connect-private-instances-with-oracle-services-through-an-oracle-cloud-infrastructure-service-gateway>

QUESTION 4

Which five are the required parameters to launch an instance in Oracle Cloud Infrastructure? (Choose five)

- A. subnet
- B. Availability Domain
- C. Virtual Cloud Network
- D. host name
- E. instance shape
- F. image operating system
- G. private IP address

Correct Answer: ABCEF

Reference: <https://docs.cloud.oracle.com/iaas/Content/Compute/Concepts/computeoverview.htm>

QUESTION 5

Which two are true for Oracle Cloud Infrastructure DNS? (Choose two.)

- A. It can function only as a primary DNS.
- B. It supports other cloud providers such as AWS and Azure.
- C. It supports segregation of traffic by using the private pool.
- D. It does not provide DDoS protection.

Correct Answer: BC

Reference: https://cloud.oracle.com/en_US/edge/dns/faq

QUESTION 6

Which three are valid Terraform configuration components? (Choose three.)

- A. variable
- B. region
- C. metadata
- D. instance
- E. resource
- F. data source

Correct Answer: AEF

QUESTION 7

Which two statements define the types of DNS resolvers that exist? (Choose two.)

- A. A custom resolver allows instances to use the host names of the hosts in your on-prem network that are connected to your VCN by an IPSec VPN connection.
- B. A VCN resolver allows instances to use the host names of the hosts in your on-prem network that are connected to your VCN by an IPSec VPN connection.
- C. A VCN resolver allows instances to use host names to communicate with instances on other VCNs in your tenancy.
- D. An Internet resolver allows instances to use the host names that are published on the Internet.

Correct Answer: AD

QUESTION 8

Which two statements are true about subnets within a VCN? (Choose two.)

- A. You can have multiple subnets in an Availability Domain for a given VCN.
- B. Private and Public subnets cannot reside in the same Availability Domain for a given VCN.
- C. Subnets can have their IP addresses overlap with other subnets in another network for a given VCN.
- D. Instances obtain their private IP and the associated security list from their subnets.

Correct Answer: BD

Reference: https://cloud.oracle.com/en_US/bare-metal-network/vcn/faq

QUESTION 9

You have provisioned an Autonomous Transaction Processing (ATP) database and logged into the ATP service console. What are three abilities that can be performed from this service console? (Choose three.)

- A. scale up/down the CPUs
- B. create ATP database users
- C. reset the admin password
- D. set resource management rules
- E. monitor database activity and SQL queries

Correct Answer: ADE

QUESTION 10

You are tasked with creating a highly available clustered application on Oracle Cloud Infrastructure consisting of three nodes. The round-trip latency between nodes must be less than 500ps (micro-seconds) and your cluster should be resilient to hardware failure.

What is the recommended deployment strategy?

- A. Deploy the cluster nodes in a single region and deploy each node into a different AD. Select the same fault domain in each AD to ensure consistency.
- B. Deploy the cluster nodes in two separate regions and take advantage of multiple availability domains (ADs) in each region.
- C. Deploy the cluster nodes in a single region and deploy each node into a different AD.
- D. Deploy the cluster nodes in a single region and deploy each node in different fault domains within a single AD.

Correct Answer: D

QUESTION 11

Which two statements are true about an Oracle Cloud Infrastructure object storage bucket? (Choose two.)

- A. You can associate a bucket with multiple compartments
- B. You cannot change a bucket from private to public after it is created
- C. You can associate a bucket with only a single compartment
- D. You cannot edit or append data to an object, but you can replace the entire object

Correct Answer: CD

Reference: <https://docs.cloud.oracle.com/iaas/Content/Object/Tasks/managingbuckets.htm>

QUESTION 12

Which tool can automatically install Oracle Cloud Infrastructure CLI?

A. Python

B. RPM

C. APT

D. PIP

Correct Answer: A

Reference: <https://docs.cloud.oracle.com/iaas/Content/API/SDKDocs/cliinstall.htm>

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.